



Manchester


This profile provides a snapshot of child health in this area. It is designed to help local government and health services improve the health and wellbeing of children and tackle health inequalities.

The child population in this area

	Local	Region	England
Live births (2021)	6,776	78,127	595,948
Children aged 0 to 4 years (2021)	33,900 6.2%	405,000 5.5%	3,058,200 5.4%
Children aged 0 to 19 years (2021)	147,000 26.7%	1,733,300 23.4%	13,040,500 23.1%
Children aged 0 to 19 years in 2031 (projected from 2018)	145,100 25.2%	1,747,600 22.8%	13,357,000 22.5%
School children from minority ethnic groups (2022)	59,208 67.4%	293,480 26.7%	2,835,124 35.0%
School pupils with social, emotional and mental health needs (2022)	3,366 3.7%	35,330 3.1%	250,272 3.0%
Children living in poverty (financial year ending 2021)	32.5%	21.2%	18.5%
Life expectancy at birth (2018 to 2020)	Boys	75.5	77.9
	Girls	79.9	81.7
		79.4	83.1

Children aged under 16 years living in poverty

Map of the North West region with Manchester outlined, showing the relative levels of children living in poverty in the financial year ending 2021, divided into national quartiles.



Map contains Ordnance Survey data.

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit the National Archives. Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.

2021 mid-year population estimates

Note the impact of updated mid-year population estimates. See the indicator guide for more details.

Main findings

Overall, comparing local indicators with England averages, the health and wellbeing of children in Manchester is worse than England.

The infant mortality rate is worse than England with an average of 47 infants dying before age 1 each year. Recently there have been 15 child deaths (1 to 17 year olds) each year on average.

Public health interventions can improve child health at a local level. In this area:

- The teenage pregnancy rate is similar to England, with 128 girls becoming pregnant in a year.
- 8.9% of women smoke while pregnant which is similar to England.
- 66.5% of newborns received breast milk as their first feed. By 6 to 8 weeks after birth, 58.6% of mothers are still breastfeeding.
- The MMR immunisation level does not meet recommended coverage (95%). By age 2, 84.5% of children have had one dose.
- Dental health is worse than England. 38.3% of 5 year olds have experience of dental decay.
- Levels of child obesity are worse than England. 12.0% of children in Reception and 28.3% of children in Year 6 are obese.
- The rate of child inpatient admissions for mental health conditions at 71.1 per 100,000 is better than England. The rate of self-harm (10 to 24 years) at 280.0 per 100,000 is better than England.

The hospital admission rate for under 18s for alcohol specific conditions is 36.6 per 100,000, which is worse than England. The hospital admission rate for substance misuse is 57.0 per 100,000, which is better than England.


The hospital admission rate for injury in children (aged 0 to 14) at 91.8 per 10,000 is worse than England, and for young people (aged 15 to 24) at 86.8 per 10,000 is better than England.

Childhood obesity


These charts show the percentage of children who have excess weight (obese or overweight) in Reception (aged 4 to 5 years) and Year 6 (aged 10 to 11 years). They compare Manchester with its statistical neighbours, and the England average. Compared with the England averages, this area has a higher percentage of children in Reception (23.9%) and a higher percentage in Year 6 (43.8%) who have excess weight.

■ Obese ■ All children with excess weight, some of whom are obese

Children aged 4 to 5 years who have excess weight in the academic year ending 2022 (percentage)



Children aged 10 to 11 years who have excess weight in the academic year ending 2022 (percentage)




Note: This analysis uses the 85th and 95th centiles of the British 1990 growth reference (UK90) for BMI to classify children as overweight and obese. I indicates 95% confidence interval.

Young people and alcohol

Nationally, the rate of hospital admissions of children and young people for conditions wholly related to alcohol, between 2016 and 2020, is decreasing and this is also the case in Manchester. The admission rate in the latest pooled period is worse than the England average.


Hospital admissions of children and young people for conditions wholly related to alcohol (rate per 100,000 population aged 0 to 17 years)



Young people's mental health

Nationally, the rate of young people being admitted to hospital as a result of self-harm, between 2016 and 2020, is not significantly changing, and this is also the case in Manchester. The admission rate in the latest pooled period is better than the England average*. Nationally, levels of self-harm are higher among young women than young men.

Young people admitted to hospital as a result of self-harm (rate per 100,000 population aged 10 to 24 years)




*Information about admissions in the single year 2021/22 can be found on page 4

These charts compare Manchester with its statistical neighbours, and England and regional averages.

Child development at 2 to 2½ years


Children at or above expected level of development in all five areas at 2 to 2½ years in the financial year ending 2022 (percentage of children reviewed)



79.6% of children aged 2 to 2½ years were at or above the expected level of development in all five areas of development (communication, gross motor, fine motor, problem-solving and personal-social skills) in the financial year ending 2022. This is lower than the England average. A lower proportion of children were at or above the expected level of development for communication skills (84.7%) and a higher proportion for personal-social skills (92.6%) when compared with England (86.5% for communication and 91.2% for personal-social skills).

Breastfeeding


First feed breast milk in the financial year ending 2021 (percentage of newborns)



66.5% of newborns received breast milk as their first feed. By 6 to 8 weeks after birth, 58.6% of mothers are still breastfeeding.

Young people's sexual and reproductive health


Teenage conceptions in girls aged under 18 years, 2020 (rate per 1,000 female population aged 15 to 17 years)



In 2020, approximately 15 girls aged under 18 conceived, for every 1,000 girls aged 15 to 17 years living in this area. This is similar to the regional average and similar to the England average. Chlamydia screening is recommended for all sexually active 15 to 24 year olds. Increasing detection rates indicate improved screening activity; it is not a measure of prevalence. The UK Health Security Agency recommends that local authorities should be working towards a minimum rate of 3,250 per 100,000 in the female population aged 15 to 24, effective from January 2022. In 2021, the detection rate in this area was 1,765 per 100,000 which is lower than the minimum recommended rate, from 2022, of at least 3,250.

Measles, mumps and rubella (MMR) vaccination

MMR vaccination coverage by age of 2 years in the financial year ending 2022 (percentage of eligible children)




The shaded area from 90% shows the range of values approaching the minimum recommended coverage of 95% (the black line).

Less than 95% (the minimum recommended coverage level) of children have received their first dose of MMR immunisation by the age of 2 in this area (84.5%). By the age of 5, only 77.3% of children have received their second dose of MMR immunisation.

Note: Where data is not available or figures have been suppressed, no bar will appear in the chart for that area.

The chart below shows how children's health and wellbeing in this area compares with the rest of England. The local result for each indicator is shown as a circle, against the range of results for England shown as a grey bar. The line at the centre of the chart shows the England average.



	Indicator	Recent trend	Local no. per year*	Local value	Eng. avg	Eng. worst		Eng. best
Premature mortality	1 Infant mortality rate	➔	47	6.7	3.9	7.5		1.2
	2 Child mortality rate (1 to 17 years)	-	15	13.5	10.3	17.7		6.1
Health protection	3 MMR vaccination for one dose (2 years)	➔	6,202	84.5	89.2	65.4		97.7
	4 Dtap/IPV/Hib vaccination (2 years)	➔	6,576	89.6	93.0	70.6		99.1
	5 Children in care immunisations	➔	775	79.0	85.0	30.0		100.0
Wider determinants of ill health	6 Children achieving a good level of development at the end of Reception	➔	3,625	53.1	65.2	53.1		74.4
	7 GCSE attainment: average Attainment 8 score	-	-	46.9	48.7	39.2		61.3
	8 GCSE attainment: average Attainment 8 score of children in care	-	-	24.9	23.2	14.2		38.3
	9 16 to 17 year olds not in education, employment or training (NEET)	➔	705	5.6	4.7	14.7		1.4
	10 First time entrants to the youth justice system	➔	130	256.2	146.9	446.9		56.3
	11 Children in relative low income families (under 16s)	➔	36,583	32.5	18.5	42.4		6.2
	12 Households with children homeless or at risk of homelessness	-	2,093	34.7	14.4	39.3		4.5
	13 Children in care	-	1,385	109	70	218		26
	14 Children killed and seriously injured (KSI) on England's roads	-	16	14.6	15.9	55.0		2.6
	15 Low birth weight of term babies	➔	197	3.3	2.8	5.0		1.5
	16 Obese children (4 to 5 years)	➔	725	12.0	10.1	14.9		5.4
	17 Obese children (10 to 11 years)	➔	1,865	28.3	23.4	34.0		12.4
	18 Children with experience of visually obvious dental decay (5 years)	-	-	38.3	23.4	50.9		8.7
	Health improvement	19 Hospital admissions for dental caries (0 to 5 years)	-	187	419.3	220.8	931.3	
20 Under 18s conception rate / 1,000		➔	128	15.1	13.0	30.4		2.7
21 Teenage mothers		➔	25	0.4	0.6	2.4		0.0
22 Admission episodes for alcohol-specific conditions - Under 18s		➔	45	36.6	29.3	83.8		7.7
23 Hospital admissions due to substance misuse (15 to 24 years)		-	53	57.0	81.2	229.4		16.9
24 Smoking status at time of delivery		➔	783	8.9	9.1	21.1		3.1
25 Baby's first feed breastmilk		-	3,025	66.5	71.7	1.3		98.6
26 Breastfeeding prevalence at 6 to 8 weeks after birth		➔	3,885	58.6	49.3	-		-
27 A&E attendances (0 to 4 years)		-	32,265	950.9	762.8	2,080.6		387.2
28 Hospital admissions caused by injuries in children (0 to 14 years)		-	980	91.8	84.3	162.2		38.8
Prevention of ill health	29 Hospital admissions caused by injuries in young people (15 to 24 years)	-	885	86.8	118.6	252.2		53.3
	30 Hospital admissions for asthma (under 19 years)	-	305	226.9	131.5	438.0		47.0
	31 Hospital admissions for mental health conditions	-	90	71.1	99.8	355.1		33.3
	32 Hospital admissions as a result of self-harm (10-24 years)	-	375	280.0	427.3	1,051.7		127.6

*Numbers in italics are calculated by dividing the total number for the three year period by three to give an average figure
Where data is not available or figures have been suppressed, this is indicated by a dash in the appropriate box

Notes and definitions

- Mortality rate per 1,000 live births (aged under 1), 2019-2021
- Directly standardised rate per 100,000 children aged 1-17, 2018-2020
- % children immunised against measles, mumps and rubella (first dose by age 2), 2021/22
- % children completing a course of immunisation against diphtheria, tetanus, polio, pertussis and Hib by age 2, 2021/22
- % children in care with up-to-date immunisations, 2022
- % children achieving a good level of development within Early Years Foundation Stage Profile, 2021/22
- GCSE attainment: average attainment 8 score, 2021/22
- GCSE attainment: average attainment 8 score of children looked after, 2021
- % of 16-17 year olds not in education, employment or training (NEET) or whose activity is not known, 2021
- Rate per 100,000 of 10-17 year olds receiving their first reprimand, warning or conviction, 2021
- % of children aged under 16 living in relative low income families, 2020/21
- Crude rate of households including one or more dependent children owed a prevention or relief duty under the Homelessness Reduction Act per 1,000 households, 2021/22
- Rate of children looked after at 31 March per 10,000 population aged under 18, 2022
- Crude rate of children aged 0-15 who were killed or seriously injured in road traffic accidents per 100,000 population, 2018-2020
- % of live-born babies, born at term, weighing less than 2,500 grams, 2021
- % school children in Reception year classified as obese, 2021/22
- % school children in Year 6 classified as obese, 2021/22
- % children aged 5 with visually obvious dental decay, 2018/19
- Crude rate per 100,000 (aged 0-5) for hospital admissions for dental caries, 2018/19-2020/21
- Under 18 conception rate per 1,000 females aged 15-17, 2020
- % of delivery episodes where the mother is aged less than 18, 2021/22
- Hospital admissions for alcohol-specific conditions – under 18, crude rate per 100,000 population, 2018/19-2020/21
- Directly standardised rate per 100,000 (aged 15-24) for hospital admissions for substance misuse, 2018/19-2020/21
- % of mothers smoking at time of delivery, 2021/22
- % of newborns who receive breast milk as first feed, 2020/21
- % of mothers breastfeeding at 6-8 weeks, 2021/22
- Crude rate per 1,000 (aged 0-4) of A&E attendances, 2021/22
- Crude rate per 10,000 (aged 0-14) for emergency hospital admissions following injury, 2021/22
- Crude rate per 10,000 (aged 15-24) for emergency hospital admissions following injury, 2021/22
- Crude rate per 100,000 (aged 0-18) for emergency hospital admissions for asthma, 2021/22
- Crude rate per 100,000 (aged 0-17) for hospital admissions for mental health, 2021/22
- Directly standardised rate per 100,000 (aged 10-24) for hospital admissions for self-harm, 2021/22